



SMD LED Based T8 Light(Directly Replacement for Fluorescent Lamp)

Item Number	color	Description
		

- | | |
|---|---|
| <ul style="list-style-type: none"> •Compact design •Wide-angle beam •UV-resistant PMMA tube housing •Inter-connectable, easy Installation | <ul style="list-style-type: none"> •No RF interference, No buzzing noise •No fluorescent flickering •No danger of broken glass •No threat of high-voltage electrocution |
|---|---|

SN-T8-D --include 60cm,120cm,150cm,DIP LEDs,voltage :85-260V (3 rows Dip chips) Plastic housing


SN-T8-D15025WM		length,150cm,420pcs Dip leds,warm white (CCT 4000K-4500K), 1600LM,25Wt,Its can Choose voltage :230V,110V,24V.
SN-T8-D15025WW		length,150cm,420pcs Dip leds,white(CCT 6000K-6500K), 1800LM ,25Wt,Its can Choose voltage :230V,110V,24V.
SN-T8-D15020WM		length,150cm,420pcs Dip leds,warm white (CCT 4000K-4500K), 1600LM,20Wt,Its can Choose voltage :230V,110V,24V.
SN-T8-D15020WW		length,150cm,420pcs Dip leds,white(CCT 6000K-6500K), 1800LM ,20Wt,Its can Choose voltage :230V,110V,24V.
SN-T8-D12018WM		length,120cm,276pcs Dip leds,warm white (CCT 4000K-4500K), 1100LM,15 watts,18Wt,Its can Choose voltage :230V,110V,24V.
SN-T8-D12018WW		length,120cm,276pcs Dip leds,white(CCT 6000K-6500K), 1200LM ,15 Wat, 18Wt,Its can Choose voltage :230V,110V,24V.
SN-T8-D06008WM		length,60cm,174pcs Dip leds,warm white (CCT 4000K-4500K), 650LM,8Wt,Its can Choose voltage :230V,110V,24V.
SN-T8-D06008WM		length,60cm,174pcs Dip leds,white(CCT 6000K-6500K),800LM ,8Wt,Its can Choose voltage :230V,110V,24V.



SN-T8-D --include 60cm,90cm,120cm,150cm, 250cm.DIP LEDs,85-260VAC (3 rows dip chips)Aluminum housing

SN-T8-D25033WM		length,250cm,600pcs Dip leds,warm white (CCT 4000K-4500K), 2800LM,25Wt 85-260V
SN-T8-D25033WW		length,250cm,600pcs Dip leds,white(CCT 6000K-6500K), 3000LM ,25Wt 85-260V
SN-T8-D15025WM		length,150cm,420pcs Dip leds,warm white (CCT 4000K-4500K), 2000LM,25Wt 85-260V
SN-T8-D15025WW		length,150cm,420pcs Dip leds,white(CCT 6000K-6500K), 2200LM ,25Wt 85-260V
SN-T8-D15018WM		length,150cm,300pcs Dip leds,warm white (CCT 4000K-4500K), 1600LM , 18 wts 85-260V
SN-T8-D15018WW		length,150cm,300pcs Dip leds,white(CCT 6000K-6500K), 1800LM ,18Wt,85-260V

SN-T8-D12022WM		length,120cm,384pcs Dip leds,warm white (CCT 4000K-4500K), 1800LM,22 watts,85-260V
SN-T8-D12022WW		length,120cm,384pcs Dip leds,white(CCT 6000K-6500K), 2000LM , 22Wt, 85-260V
SN-T8-D12018WM		length,120cm,330pcs Dip leds,warm white (CCT 4000K-4500K), 1700LM,18Wt,85-260V
SN-T8-D12018WW		length,120cm,330pcs Dip leds,white(CCT 6000K-6500K), 1800LM ,18 Wat., 85-260V
SN-T8-D12015WM		length,120cm,276pcs Dip leds,warm white (CCT 4000K-4500K), 1400LM,15Wt,85-260V
SN-T8-D12015WW		length,120cm,276pcs Dip leds,white(CCT 6000K-6500K), 1500LM ,15Wat., 85-260V
SN-T8-D12012WM		length,120cm,216pcs Dip leds,warm white (CCT 4000K-4500K), 1100LM,12Wt,85-260V
SN-T8-D12012WW		length,120cm,216pcs Dip leds,white(CCT 6000K-6500K), 1200LM ,12Wat., 85-260V
SN-T8-D9010WM		length,90 cm,189pcs Dip leds,warm white (CCT 4000K-4500K), 1000LM,10 Wt 85-260V
SN-T8-D9010WW		length,90cm, 189pcs Dip leds,white(CCT 6000K-6500K),1100LM ,10 Wt.Its can Choose voltage :85-260V
SN-T8-D6009WM		length,60cm,171pcs Dip leds,warm white (CCT 4000K-4500K), 900LM, 9 Wt 85-260V
SN-T8-D6009WW		length,60cm,171pcs Dip leds,white(CCT 6000K-6500K),1000LM ,8Wt,Its can Choose voltage :85-260V
SN-T8-D6008WM		length,60cm,144pcs Dip leds,warm white (CCT 4000K-4500K), 800LM, 9 Wt 85-260V
SN-T8-D6008WW		length,60cm,144pcs Dip leds,white(CCT 6000K-6500K),900LM ,8 Wt,Its can Choose voltage :85-260V
SN-T8-D6006WM		length,60cm,108pcs Dip leds,warm white (CCT 4000K-4500K), 580LM, 6 Wt 85-260V
SN-T8-D6006WW		length,60cm,108pcs Dip leds,white(CCT 6000K-6500K),600LM ,6 Wt,Its can Choose voltage :85-260V
SN-T8-D6005WM		length,33cm,108pcs Dip leds,warm white (CCT 4000K-4500K), 580LM, 5 Wt 85-260V
SN-T8-D6005WW		length,33cm,108pcs Dip leds,white(CCT 6000K-6500K),600LM ,5 Wt,Its can Choose voltage :85-260V



- .Compact design
- Wide-angle beam
- UV-resistant PMMA tube housing
- Inter-connectable, easy Installation

- No RF interference, No buzzing noise
- No fluorescent flickering
- No danger of broken glass
- No threat of high-voltage electrocution

SN-T8-3S-include 33cm,60cm,90cm120cm.150cm,250cm.SMD LEDs,85-260VAC (3 rows SMD chips) Aluminum housing

SN-T8-3S25033WM		length,250cm,600pcs Dip leds,warm white (CCT 4000K-4500K), 2800LM,25Wt 85-260V
SN-T8-3S25033WW		length,250cm,600pcs Dip leds,white(CCT 6000K-6500K), 3000LM ,25Wt 85-260V
SN-T8-3S15025WM		length,150cm,420pcs Dip leds,warm white (CCT 4000K-4500K), 2000LM,25Wt 85-260V
SN-T8-3S15025WW		length,150cm,420pcs Dip leds,white(CCT 6000K-6500K), 2200LM ,25Wt 85-260V
SN-T8-3S15018WM		length,150cm,300pcs Dip leds,warm white (CCT 4000K-4500K), 1600LM , 18 wts 85-260V

SN-T8-3S15018WW		length,150cm,300pcs Dip leds,white(CCT 6000K-6500K), 1800LM ,18Wt,85-260V
SN-T8-3S12022WM		length,120cm,384pcs Dip leds,warm white (CCT 4000K-4500K), 1800LM,22 watts,85-260V
SN-T8-3S12022WW		length,120cm,384pcs Dip leds,white(CCT 6000K-6500K), 2000LM ,, 22Wt, 85-260V
SN-T8-3S12018WM		length,120cm,330pcs Dip leds,warm white (CCT 4000K-4500K), 1700LM,18Wt,85-260V
SN-T8-3S12018WW		length,120cm,330pcs Dip leds,white(CCT 6000K-6500K), 1800LM ,18 Wat., 85-260V
SN-T8-3S12015WM		length,120cm,276pcs Dip leds,warm white (CCT 4000K-4500K), 1400LM,15Wt,85-260V
SN-T8-3S12015WW		length,120cm,276pcs Dip leds,white(CCT 6000K-6500K), 1500LM ,15Wat., 85-260V
SN-T8-3S12012WM		length,120cm,216pcs Dip leds,warm white (CCT 4000K-4500K), 1100LM,12Wt,85-260V
SN-T8-3S12012WW		length,120cm,216pcs Dip leds,white(CCT 6000K-6500K), 1200LM ,12Wat., 85-260V
SN-T8-3S9010WM		length,90 cm,189pcs Dip leds,warm white (CCT 4000K-4500K), 1000LM,10 Wt 85-260V
SN-T8-3S9010WW		length,90cm, 189pcs Dip leds,white(CCT 6000K-6500K),1100LM ,10 Wt,Its can Choose voltage :85-260V
SN-T8-3S6009WM		length,60cm,171pcs Dip leds,warm white (CCT 4000K-4500K), 900LM, 9 Wt 85-260V
SN-T8-3S6009WW		length,60cm,171pcs Dip leds,white(CCT 6000K-6500K),1000LM ,8Wt,Its can Choose voltage :85-260V
SN-T8-3S6008WM		length,60cm,144pcs Dip leds,warm white (CCT 4000K-4500K), 800LM, 9 Wt 85-260V
SN-T8-3S6008WW		length,60cm,144pcs Dip leds,white(CCT 6000K-6500K),900LM ,8 Wt,Its can Choose voltage :85-260V
SN-T8-3S6006WM		length,60cm,108pcs Dip leds,warm white (CCT 4000K-4500K), 580LM, 6 Wt 85-260V
SN-T8-3S6006WW		length,60cm,108pcs Dip leds,white(CCT 6000K-6500K),600LM ,6 Wt,Its can Choose voltage :85-260V
SN-T8-3S3305WM		length,33cm,108pcs Dip leds,warm white (CCT 4000K-4500K), 580LM, 5 Wt 85-260V
SN-T8-3S3305WW		length,33cm,108pcs Dip leds,white(CCT 6000K-6500K),600LM ,5 Wt,Its can Choose voltage :85-260V



- .Compact design
- Wide-angle beam
- UV-resistant PMMA tube housing
- Inter-connectable, easy Installation

- No RF interference, No buzzing noise
- No fluorescent flickering
- No danger of broken glass
- No threat of high-voltage electrocution

SN-T8-2S --include 60cm,90cm,120cm.150cm,SMD LEDs,85-260VAC(2 rows of SMD chips) Plastic Housing Only

SN-T8-2S15018WM		length,150cm,300pcs SMD leds,warm white(CCT 3000K-5000K),1100LM ,18Wt,Its can Choose voltage :230V,110V,24V.
SN-T8-2S15018WW		length,150cm,300pcs SMD leds,COOL white(CCT 6000K-6500K),1200LM ,18Wt,Its can Choose voltage :230V,110V,24V.
SN-T8-2S12015WM		length,120cm,240pcs SMD leds,warm white(CCT 3000K-5000K),800LM ,15Wt,Its can Choose voltage :230V,110V,24V.
SN-T8-2S12015WW		length,120cm,240pcs SMD leds,COOL white(CCT 6000K-6500K),1000LM ,15Wt,Its can Choose voltage :230V,110V,24V.

SN-T8-2S06008WM		length,60cm,120pcs SMD leds,warm white(CCT 3000K-5000K),400LM ,8Wt,Its can Choose voltage :230V,110V,24V.
SN-T8-2S06008WW		length,60cm,120pcs SMD leds,COOL white(CCT 6000K-6500K),600LM ,8Wt,Its can Choose voltage :230V,110V,24V.



.Compact design •Wide-angle beam •UV-resistant PMMA tube housing •Inter-connectable, easy Installation	•No RF interference, No buzzing noise •No fluorescent flickering •No danger of broken glass •No threat of high-voltage electrocution
---	---

SN-T5--1149mm,849mm ,549mm ,288mm,Diameter 16mm. include Dip LEDs,voltage :120-230VAC plastic housing

SN-T5-D13WM		length,1149mm,216pcs DIP leds,WARM white(3500K),680LM ,13Watts
SN-T5-D13WW		length,1149mm,216pcs DIP leds,WARM white(6500K),700LM ,13Watts
SN-T5-D11WM		length,849mm,168pcs DIP leds,WARM white(3500K),650LM ,11Watts
SN-T5-D11WW		length,849mm,168pcs DIP leds,WARM white(6500K),680LM ,11Watts
SN-T5-D7WM		length,549mm,112pcs DIP leds,WARM white(3500K),470LM ,11Watts
SN-T5-D7WW		length,549mm,112pcs DIP leds,WARM white(6500K)500LM ,11Watts
SN-T5-D3WM		length,288mm,51pcs DIP leds,WARM white(3500K),200 LM ,11Watts
SN-T5-D3WW		length,288mm,51pcs DIP leds,WARM white(6500K)220LM ,11Watts